



Anti-DNA-PK_{CS} autoantibodies

Prevalence

Table 1 Prevalence of anti-DNA-PKcs in connective tissue diseases

Diseases	Patients	anti-DNA-PKcs	[%]	Authors
Systemic lupus erythematoses	99	10	10,1	Schild-Poulter et al. 2008
	175	1	0,6	Satoh et al. 1996
	147	2	1,7	Suwa et al. 1996
Systemic sclerosis	57	3	5,3	Schild-Poulter et al. 2008
	130	0	-	Satoh et al. 1996
	69	2	2,9	Suwa et al. 1996
Poly/Dermatomyositis	23	5	21,7	Schild-Poulter et al. 2008
	32	0	-	Satoh et al. 1996
	17	2	11,7	Suwa et al. 1996
	53	1 *	1,9	Casciola-Rosen et al. 2001
Sjögren's syndrome	10	0	-	Schild-Poulter et al. 2008
	23	0	-	Satoh et al. 1996
	20	0	-	Suwa et al. 1996
MCTD/UCTD	12	0	-	Schild-Poulter et al. 2008
	48	2	4,0	Satoh et al. 1996
	19	4	21,0	Suwa et al. 1996
Rheumatoid arthritis	38	2	5,3	Schild-Poulter et al. 2008
	58	0	-	Satoh et al. 1996
	40	0	-	Suwa et al. 1996
Healthy controls	57	0	-	Schild-Poulter et al. 2008
	54	0	-	Satoh et al. 1996
	80	0	-	Suwa et al. 1996

* Together with anti-PMS1, anti-PARP and two non differentiated proteins of 130 kDa e 190 kDa

Literature

Casciola-Rosen LA, Pluta AF, Plotz PH, Cox AE, Morris S, Wigley FM, Petri M, Gelber AC, Rosen A: The DNA mismatch repair enzyme PMS1 is a myositis-specific autoantigen. *Arthritis Rheum* (2001); 44(2): 389 - 396 (PMID: [11229471](#)).

Casciola-Rosen LA, Anhalt GJ, Rosen A: DNA-dependent protein kinase is one of a subset of autoantigens specifically cleaved early during apoptosis. *J Exp Med* (1995); 182(6): 1.625 - 1.634 (PMID: [7500007](#)).



Anti-DNA-PK_{CS} autoantibodies

Dip R, Naegeli H: More than just strand breaks: the recognition of structural DNA discontinuities by DNA-dependent protein kinase catalytic subunit. *FASEB J* (2005); 19(7): 704 - 715 (PMID: [15857885](#)).

Huston E, Lynch MJ, Mohamed A, Collins DM, Hill EV, MacLeod R, Krause E, Baillie GS, Houslay MD: EPAC and PKA allow cAMP dual control over DNA-PK nuclear translocation. *Proc Natl Acad Sci* (2008); 105(35): 12.791 - 12.796 (PMID: [18728186](#)).

Jafri F, Hardin JA, Dynan WS: A method to detect particle-specific antibodies against Ku and the DNA-dependent protein kinase catalytic subunit in autoimmune sera. *J Immunol Methods* (2001); 251(1-2): 53 - 61 (PMID: [11292481](#)).

McConnell KR, Dynan WS, Hardin JA: The DNA-dependent protein kinase catalytic subunit (p460) is cleaved during Fas-mediated apoptosis in Jurkat cells. *J Immunol* (1997); 158(5): 2.083 - 2.089 (PMID: [9036952](#)).

Satoh M, Ajmani AK, Stojanov L, Langdon JJ, Ogasawara T, Wang J, Dooley MA, Richards HB, Winfield JB, Carter TH, Reeves WH: Autoantibodies that stabilize the molecular interaction of Ku antigen with DNA-dependent protein kinase catalytic subunit. *Clin Exp Immunol* (1996); 105(3): 460 - 467 (PMID: [8809135](#)).

Schild-Poulter C, Su A, Shih A, Kelly OP, Fritzler MJ, Goldstein R, Haché RJ: Association of autoantibodies with Ku and DNA repair proteins in connective tissue diseases. *Rheumatology* (2008); 47(2): 165 - 171 (PMID: [18208821](#)).

Suwa A, Hirakata M, Takeda Y, Okano Y, Mimori T, Inada S, Watanabe F, Teraoka H, Dynan WS, Hardin JA: Autoantibodies to DNA-dependent protein kinase. Probes for the catalytic subunit. *J Clin Invest* (1996); 97(6): 1.417 - 1.421 (PMID: [8617873](#)).